



Material Safety Data Sheet
Golden West Hi-Temp Red Grease

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072		
Identity (As Used on Label and List) Golden West Hi-Temp Red Grease		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
Section I				
Manufacturer's Name Golden West Packaging Co.		Emergency Telephone Number 210-649-1401		
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101		Telephone Number for Information 210-649-1401		
		Date Prepared 2006		
		Signature of Preparer (optional)		
Section II - Hazardous Ingredients/Identity Information				
Petroleum Hydrocarbon Grease, red dye additive package Health 1 Reactivity 0 Flammability 0		OSHA PEL	ACGIH TVL	Limits Recommended % (optional)
Section III - Physical/Chemical Characteristics				
Boiling Point	500°F	Specific Gravity (H2O = 1)	+1	
Vapor Pressure (mm Hg.)	<1	Melting Point	550°F	
Vapor Density (AIR = 1)	<1	Evaporation Rate (Butyl Acetate = 1)	N.A.	
Solubility in Water - Negligible				
Appearance and Odor - Red grease color. Hydrocarbon odor.				
Section IV - Fire and Explosion Hazard Data				
Flash Point (Method Used)	625°F	Flammable Limits No Data	LEL N.A.	UEL N.A.
Extinguishing Media - Use foam, chemical or water spray.				
Special Fire Fighting Procedures - Use water to spray down containers.				
Unusual Fire and Explosion Hazards - Dense smoke may be generated by burning product. Carbon Monoxide may result from burning.				
Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646			OSHA 174, Sept. 1985	

Section V - Reactivity Data			
Stability - Unstable		Conditions to Avoid - Avoid prolonged contact with skin.	
Incompatibility (Materials to Avoid) - None			
Hazardous Decomposition or Byproducts - Residue from burning could be toxic.			
Hazardous Polymerization -		May Occur - X	Conditions to Avoid - Burning
		Will Not Occur	
Section VI - Health Hazard Data			
Route(s) of Entry:		Inhalation? Yes	Skin? Yes
Ingestion? Yes			
Health Hazards (Acute and Chronic) - Avoid prolonged contact with skin. If ingested do not induce vomiting. Call a physician.			
Carcinogenicity: Burned residue only	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure - Irritation of skin. Eye irritation if exposed over prolonged periods.			
Medical Conditions Aggravated by Exposure - Irritation of exposed surfaces.			
Emergency First Aid Procedures - Wash thoroughly with soap and water.			
Section VII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled - Effect clean up immediately.			
Waste Disposal Method - Use general methods of hydrocarbon clean up.			
Precautions to be Taken in Handling and Storing - Avoid open flames.			
Other Precautions - None			
Section VII - Control Measures			
Respiratory Protection (Specify Type) - If burning, use breathing protective mask.			
Ventilation - N.A.		Local Exhaust - N.A.	Special - None
		Mechanical (General) -	Other -
Protective Gloves - Use if handling.			
Eye Protection - Goggles			
Other Protective Clothing or Equipment - Use apron if handling to prevent contact with skin.			
Work/Hygienic Practices - General hygienic practices.			
U.S.G. P.O.: 1986-491-529/45775			