



Material Safety Data Sheet
Golden West Power Steering Fluid

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 39 CFR 1910.1200. Standard must be 39 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072		
Identity (As Used on Label and List) Golden West Power Steering Fluid		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
Section I				
Manufacturer's Name Golden West Packaging Plant		Emergency Telephone Number 210-649-1401		
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101		Telephone Number for Information 210-649-1401		
		Date Prepared 2005		
		Signature of Preparer (optional)		
Section II - Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity; Common Name(s)) Severely Hydro treated Heavy Naphthenic Petroleum Oil Health -1 Flammability -1 Reactivity -0		OSHA PEL 5mg/m3 none est.	ACGIH TVL 5 mg/m3 10mg/m3	Limits Recommended % (optional)
Section III - Physical/Chemical Characteristics				
Boiling Point	500-1100°F	Specific Gravity (H2O = 1)	0.92	
Vapor Pressure (mm Hg.)	<1 mm	Melting Point	-25°F	
Vapor Density (AIR = 1)	>5	Evaporation Rate (Butyl Acetate = 1)	N.A.	
Solubility in Water - Nil				
Appearance and Odor - golden liquid Mild petroleum odor				
Section IV - Fire and Explosion Hazard Data				
Flash Point (Method Used)	355°F	Flammable Limits N.D.	LEL N.D. UEL N.D.	
Extinguishing Media - Halon, dry chemical, foam, CO2, and water mist or fog.				
Special Fire Fighting Procedures - Water may be used to cool exposed containers. Should wear protective respiratory equipment.				
Unusual Fire Explosion Hazards - Do not used forced steam, as this could cause spreading.				
Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646		OSHA 174, Sept. 1985		

Section V - Reactivity Data				
Stability - Unstable		Conditions to Avoid - Sources of ignition.		
Incompatibility (Materials to Avoid) - Strong oxidizers.				
Hazardous Decomposition or Byproducts - Carbon Dioxide and Carbon Monoxide.				
Hazardous Polymerization	May Occur	Conditions to Avoid -		
	Will Not Occur			
Section VI - Health Hazard Data				
Route(s) of Entry:		Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (Acute and Chronic) - Prolonged exposure with skin will dry and defat the skin, leading to irritation and dermatitis. Inhalation with fumes in high concentration.				
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No	
Signs and Symptoms of Exposure -				
Medical Conditions Generally Aggravated by Exposure - Persons with preexisting skin disorders should avoid contact with this product.				
Emergency First Aid Procedures - Inhalation; remove to fresh air. Eye; wash with water. Skin; wash thoroughly with soap and water. Ingestion; observe sign of stomach discomfort; always get medical attention.				
Section VII - Precautions for Safe Handling and Use				
Steps to be Taken in Case Material is Released or Spilled - Contain spill. Use absorbent material to sweep up.				
Waste Disposal Method - Follow state, federal and local laws and recycle at approved facility.				
Precautions to be Taken in Handling and Storing - Keep away from flames.				
Other Precautions -				
Section VII - Control Measures				
Respiratory Protection (Specify Type) - Avoid fumes.				
Ventilation	Local Exhaust -		Special -	
	Mechanical (General) -		Other -	
Protective Gloves - Solvent resistant gloves recommended.				
Eye Protection - Glasses or face shield.				
Other Protective Clothing or Equipment -				
Work/Hygienic Practices - Wash hands before eating, smoking or using toilet facilities.				
U.S.G. P.O.: 1986-491-529/45775				